

Obstructive Sleep Apnea: Improvement of Obstructive Sleep Apnea after a Corrective Surgical Procedure

Measure Description:

Percentage of patients aged 18 years and older who have a diagnosis of obstructive sleep apnea and received a corrective procedure for the obstructive sleep apnea and had an improvement in their Apnea-Hypopnea Index (AHI) post-operative results compared to their pre-operative results.

Instructions:

This measure is to be submitted <u>each time</u> a patient underwent a corrective surgical procedure for obstructive sleep apnea during the performance period. This measure may be submitted by clinicians based on the services provided and the measure-specific denominator coding.

Denominator:

- All patients aged 18 years and older who have a diagnosis of obstructive sleep apnea and received a corrective procedure for the obstructive sleep apnea. CPT: 64582, 64583, 64584
- All patients aged 18 years and older who have a diagnosis of obstructive sleep apnea and received a corrective procedure for the obstructive sleep apnea. CPT: 42145, 21193-21199, 21206, and 21685

Denominator Exclusion:

Patients without a documented post-operative sleep study.

Denominator Exceptions:

None

Numerator:

- 1. Patients who had an improvement in their AHI post-operative results compared to their preoperative results.
- 2. Patients who had an improvement in their AHI post-operative results compared to their preoperative results.

Numerator Definition:

To meet this outcome measure, there must be documentation of an AHI that shows a post-operative score below 20 or half of the pre-operative score.

Empowering otolaryngologist-head and neck surgeons to deliver the best patient care